

## Angelina County Road & Bridge Department PO Box 908 Lufkin, Texas 75902

### APPLICATION FOR PERMIT FOR THE INSTALLATION OF PIPE AND/OR UTILITY LINES WITHIN A COUNTY MAINTAINED RIGHT-OF-WAY OR EASEMENT

#### EFFECTIVE AUGUST 26, 2025 THERE WILL BE A \$25 PERMIT FEE.

Check or Money Order only; credit/debit cards are not accepted.

1.	Applicant:	Date:	
	Company Name	Phone:	
	Address:	Fax:	
		Zip:	
	24/7 Contact Name:	Phone:	
	Contractor:	Phone:	
	Bonding Company:	Phone:	
2.	Franchise Holder:	Phone:	
3.	Franchise Contract:	Phone:	
4.	Franchise Contract: Phone: Location (If applicable, length of installation in feet):		
6.	attached to the application. The line will be constructed and maintained on the County right of way as directed by the Road Administrator in accordance with ANGELINA COUNTY specifications.  Describe all traffic controls or warning devices anticipated for this project		
	Proposed start date: Completion	date:	
	It is expressly understood that the ANGELINA COUNTY Commissioners Court does not purport, hereby, to grant and right, claim, title, or easement in or upon this county road; and, it is further understood that, in the future, for any reason, ANGELINA COUNTY should need to work, improve, relocate, widen, increase, add to, or in any manner change the structure of this right-of-way, this line, if affected, will be moved under the direction of the ANGELINA COUNTY ROAD ADMINISTRATOR and shall be relocated at the complete expense of the owner.		
	All work on the county right-of-way shall be performed in accordance with the Road Administrator's instructions. The installation shall not damage ANY PART of the roadway.		
	Specific instructions and conditions are as follows:		

All underground lines installed under the roadway shall be by boring, unless otherwise specified by the Angelina County Road Administrator. All underground lines are to be installed at a minimum of 36 inches below flow line of the adjacent drainage or borrow ditch.



# Angelina County Road & Bridge Department PO Box 908 Lufkin, Texas 75902

- 1. All buried lines carrying an electrical current, or electronic or optical signal, shall have yellow plastic tape at least two inches in width and buried a minimum of twelve inches above such lines.
- 2. LINES CROSSING UNDER SURFACED ROADS AND UNDER SURFACED CROSS ROADS WITHIN THE RIGHT-OF-WAY SHALL BE PLACED BY BORING. BORING SHALL EXTEND FROM CROWN LINE TO CROWN LINE.
- 3. All lines under roads carrying pressure in excess of 50 psi shall be enclosed in satisfactory casing extending from right-of-way line to right-of-way line. Pipe used for casing may be any type approved by the Road Administrator and shall be capable of supporting the roadbed and traffic loads and shall be constructed for such purpose that there is no leakage through the casing, carrier pipe, joints, or couplings.
- **4.** No lines are to be installed UNDER OR WITHIN 50 feet of either end of a bridge. No lines shall be placed in a culvert or within 10 feet of the closest point of same.
- 5. Parallel lines will be installed as near the right-of-way as is possible and no parallel line will be installed in the roadbed or between the drainage ditch and roadbed without receiving special permission from the Road Administrator.
- **6.** Overhead lines will have a minimum clearance of 18 feet above the road surface at point of crossing.
- 7. The cost of any repairs to road surface, roadbed structures, or other right-of-way features as a result of this installation will be borne by the owner of this line.
- 8. At least one-half of the traveled portion of the road must be open to traffic at all times.
- **9.** The permit is permissive, is subject to the public right-of-travel on and access to the right-of-way, and may not be assigned.
- **10.** The applicant shall secure all other necessary or required permits, licenses, or approvals before starting work.
- 11. Signs and traffic controls shall comply with the current edition of the Manual on Uniform Traffic Control Devices, as approved by the Texas Department of Transportation.
- 12. All work shall conform to the specifications set forth by the Road Administrator.
- **13.** Restoration of the right-of-way is required and shall be completed within 30 days of the completed work within the right-of-way.
- 14. Right-of-way surfaces shall be cleaned before the end of each day's work. All catch basins, culverts, or other improvements affected by any deposits of dirt, mud, rock, debris, or other material shall be cleaned daily or as specified by the County.
- 15. The applicant shall provide proof of insurance.
- **16.** The applicant shall be responsible for all utility locates.
- 17. All residents or businesses affected by any scheduled maintenance causing road closure, or interruption of any utility service shall be notified forty-eight (48) hours prior to any work. Emergency situations are exempt.
- **18.** Petrochemical or other hydrocarbon pipelines: Does this pipeline fall under the Texas Rail Road Commission flow lines? Yes; No
- 19. Final Inspection: All Permits must have a final inspection once work is complete. Please call 936-630-3234 to schedule final inspection.



## Angelina County Road & Bridge Department PO Box 908 Lufkin, Texas 75902

By accepting this permit, the Applicant shall assume all risks and hazards incidental to its use of County right-of-way under this permit and hold harmless the county of ANGELINA, its officers, employees, and agents from any claim arising out of the applicants' performance under this permit.

Applicants Signature:	Date:
Approved:  Angelina County Road Administration	

Please email completed application to: utilities@angelinacounty.net.